



**CHINA ARTEX TAIZHOU IMPORT
& EXPORT CO., LTD.**

WENLING YIXIN ELECTRONIC CO., LTD.


Add: Room 420,4/F Times Square Business Centre, Wanchang
Middle Road #1239, Wenling, Zhejiang, China.
Tel:0086-576-80688702 PC:317500
Fax:0086-576-80688702
Mobile:0086-13777686836
E-mail:sales@sunnygoods.cn
Skype:sunnylinfeng

www.sunnygoods.net



**CHINA ARTEX TAIZHOU IMPORT
& EXPORT CO., LTD.**

WENLING YIXIN ELECTRONIC CO., LTD.



www.sunnygoods.net



About us

CHINA ARTEX TAIZHOU IMPORT&EXPORT CO.,LTD

Locates at wenling,zhejiang,China. The well-suited traffic system is setup with NO.104 national highway which goes through the city and Yong, Tai and Wen expressway which have been completely established and through.

Our products has passed ISO9001 certificate.It is equipped with advanced equipment and employs professional designers.We mainly produce road safety products,such as traffic batons,plastic cones,road studs,safety vest,bulletproof vest,convex mirror,warning light,led chevron,pvc tape and so on.Due to the high quality and competitive prices,we enjoy a good reputation among our clients in domestic and international market.Our products have agood sale all over the world.

Our company Follows Contract and Observes Credit.We are exploring the market with our fine technique,good service and excellent credit standing,relying on nice quality of our products.We always make progress in updating specifications and styles of our products to develop new designs to meet different requirements from customers.

With an enterprises culture of fine quality,innovation and good price,we are honestly looking forward to building cooperative relationships with you for a brilliant future.

Any help,Please feel free to contact us for further information.

CONTENTS

Traffic Baton	01-05
Warning Light	06-15
Wheel Stopper	16
Corner Guard	17
Cable Protector	18-19
Rubber Speed Humps	20
Warning Post	21
Traffic Cone & Wet floor	22-25
Accessories for cones	26
Plastic Chain	27
Warning Tape & Q-Manger	28
Warning Triangle	29
Reflective Vest	30-31
Road Stud & Delineator	32-33
Convex Mirror	34-35
Road Barrier	36-41



TB-260 SERIES

Function:Flash-Steady-Lighting(Torch)-Closed
Product Specification and LED Colour can be chosen
Visual Distance:more than 200m
Batteries:Three AA batteries
With the magnet on the bottom of handle

Rechargeable is available



TB-260R 26x3.5cm TB-260G 26x3.5cm TB-260Y 26x3.5cm TB-260B 26x3.5cm TB-260RGW 26x3.5cm



TB-L260R/G/Y/B 36x3.5cm

TB-250 SERIES

Function:Flash-Steady-Lighting(Torch)-Closed
Product Specification and LED Colour can be chosen
Visual Distance:more than 200m
Batteries:Three AAA batteries
With the magnet on the bottom of handle



TB-250R 28x2.9cm TB-250G 28x2.9cm TB-250Y 28x2.9cm TB-250B 28x2.9cm TB-250RGW 28x2.9cm



TB-L250R/G/Y/B 36x2.9cm

TB-280 SERIES

Function:(1)Flash-Steady-Lighting(Torch)-Closed
(2)Whistle
Product Specification and LED Colour can be chosen
Visual Distance:more than 200m
Batteries:Three AAA batteries
With the magnet on the bottom of handle



TB-M280R 30x3.7cm TB-M280G 30x3.7cm TB-M280Y 30x3.7cm TB-M280B 30x3.7cm TB-280R 30x3.7cm

TB-270 SERIES



TB-270R 26.5x3.5cm TB-M270R 26.5x3.5cm





TB-S900 SERIES

Function:Flash-Steady-Closed
Product Specification:(L)41cmX(DIA)4cm
Batteries:Two Or Three D Batteries



TB-S900R

TB-S900G

TB-S900Y

TB-S900B

TB-900 SERIES

Function:Flash-Steady-Closed
Product Specification:(L)54cmX(DIA)4cm
Batteries:Two Or Three D Batteries



TB-900R

TB-900G

TB-900Y

TB-900B

TB-900RGW

TB-L900 SERIES

Function:Flash-Steady-Closed
Product Specification:(L)87cmX(DIA)4cm
Batteries:Three D Batteries



TB-L900R

TB-L900G

TB-L900Y

TB-L900B

TB-S700 SERIES

Function:Flash-Steady-Closed
Product Specification:(L)40cmX(DIA)3cm
Batteries:Two Or Three C Batteries



TB-S700R

TB-S700G

TB-S700Y

TB-S700B

TB-700 SERIES

Function:Flash-Steady-Closed
Product Specification:(L)52cmX(DIA)3cm
Batteries:Two Or Three C Batteries



TB-700R

TB-700G

TB-700Y

TB-700B

TB-700RGW

TB-L700 SERIES

Function:Flash-Steady-Closed
Product Specification:(L)87cmX(DIA)3cm
Batteries:Two Or Three C Batteries



TB-L700R

TB-L700G

TB-L700Y

TB-L700B



MULTI-FUNCTION SERIES

Function: (1) Red Light Flash-Steady Red Light-Steady White/Green/Blue Light-Closed
Product Specification and LED Colour can be chosen
Batteries: Three AAA or AA batteries
With the magnet on the bottom of handle



TB-L250RG 36x2.9cm
TB-250RG 28x2.9cm
TB-260RG 26x3.5cm
TB-L260RG 36x3.5cm
TB-2800RG 30x3.7cm

MULTI-FUNCTION SERIES


Function: (1) Red Light Flash-Steady Red Light-Steady White/Green/Blue Light-Closed
(2) Red Light Flash-Green/Blue/White Light Flash-Closed
Product Specification and LED Colour can be chosen
Batteries: Two D Batteries For TB-900 Series
Two C Batteries For TB-700 Series



TB-700RG 52x3cm
TB-S700RG 40x3cm
TB-S900RG 41x4cm
TB-900RG 54x4cm

TORCH SERIES

Function: Flash-Steady-Light(Torch)-Closed
Product Specification and LED Colour can be chosen
Batteries: Two D Batteries For TB-900 Series
Two C Batteries For TB-700 Series



TB-700R-1 52x3cm
TB-S700R-1 40x3cm
TB-S900R-1 41x4cm
TB-900R-1 54x4cm

MULTI-FUNCTION SERIES

Function: (1) Flashing-Steady-Lighting(Torch)-Closed
(2) Whistle
Product Specification and LED Colour can be chosen
Batteries: Three AA Batteries

Rechargeable is available



TB-S500-AA 43x3cm
TB-500-AA 54x3cm
TB-7001R-AA 56x3cm
TB-9001R-AA 59x4cm
TB-M9002R-AA 54x4cm



Function: (1) Flashing-Steady-Lighting(Torch)-Closed
(2) Whistle
Product Specification and LED Colour can be chosen
Visual Distance: more than 200m
Batteries: Three AAA or AA Batteries

Rechargeable is available



TB-S260-AA 30x3.5cm
TB-L260R-AA 41x3.5cm
TB-293-AA 29.3x3.5cm
TB-273-AA 27.3x3.5cm



Function: (1) Red Flasing-Blue Flashing-Red and Blue Flashing in Turn-
Red and Blue Flashing Together-Lighting(Torch)-Closed
Product Specification and LED Colour can be chosen
Visual Distance: more than 200m
Batteries: Three AAA or AA Batteries
With the magnet on the bottom of handle.

Rechargeable is available

Foam Material



TB-L260-RW6 36x4cm
TB-L260RG6 36x4cm
TB-9001RG-AA 59x4cm
TB-91 53x3.6cm
TB-93 50.5x3.6cm
TB-95 54x4cm



Barricade Lamp&Warning Light



Model:WL-001

2pcs ultra bright LEDS
Power supply:2pcs 4R25 6V battery.
7"standard lens with advanced optics
Inside switch with photocell make the light dusk on and dawn off
Steady and flash model available
Standard flash rate in 65+/-10 times/min
with plastic or metal handle
Lens and base colors:yellow,orange,green and red available



Model:WL-003

2pcs ultra bright LEDS
Power supply:1pcs 4R25 6V battery.
7"standard lens with advanced optics
Inside switch with photocell make the light dusk on and dawn off
Steady and flash model available
Standard flash rate in 65+/-10 times/min
with plastic or metal handle
Lens and base colors:yellow,orange,green and red available



Model:WL-005

Standard Features:
100PCS 5mm Ultra LED 120x160mm
150 rounds/min
Smber or Red lens
Battery:2PCS 4R25 6V
Visible up to 800M-1000M
Life of battery:200-300hours



Model:WL-007

2pcs ultra bright LEDS
Power:1pc 4R25 6V battery
Standard flash rate in 65+/-5FPM
LED color:Yellow,Red,Amber
7"standard lens with advanced optics
With plastic or metal handle
Lens and base colors:yellow,orange,green and red available



Model:WL-002

2pcs ultra bright LEDS
Power supply:2pcs 4R25 6V battery.
7"standard lens with advanced optics
Inside switch with photocell make the light dusk on and dawn off
Steady and flash model available
Standard flash rate in 65+/-10 times/min
with plastic or metal handle
Lens and base colors:yellow,orange,green and red available



Model:WL-004

Luminous source:6LEDS 1Bulb
Power supply:1pcs 4R25 6V battery
Equipped with 360°lens
ON/OFF by rotation of the len
Standard flash rate in65+/-10FPM
With metal handle
Lens and base colors:yellow,orange,green and red available



Model:WL-006

4pcs ultra bright Bulb
Power supply:1pcs 4R25 6V battery
Equipped with 360°lens
ON/OFF by rotation of the len
Standard flash rate in65+/-10FPM
With plastic ring handle
Lens and base colors:yellow,orange,green and red available



Model:WL-008

2pcs ultra bright LEDS
Power supply:2pcs 4R25 6V battery.
7"standard lens with advanced optics
Inside switch with photocell make the light dusk on and dawn off
Steady and flash model available
Standard flash rate in 65+/-10 times/min
with plastic or metal handle
Lens and base colors:yellow,orange,green and red available

Barricade Lamp&Warning Light



Model:WL-009

12pcs super LEDS≥6000mcd
The brightness of around reflector≥4000mcd
Averages:60±5 flashes per minute
Flash style choose:Triple or single
Photocell automatically turns light on at night
Run 250-300 hours with 2pcs D batteries



Model:WL-011

Power supply:2pcs D battery.
Material:PP+ABS
Voltage:3V
Standard Flash Rate:65+/- times/min
Function:Flash or Steady are available
Common color:Red/Amber



Model:WL-013

Power supply:2PCS D size battery.
LED QTY:8pcs
Standard Flash Rate:65+/- times/min
Function:Flash or Steady are available
Common color:Red/Amber



Model:WL-015

Power supply:2pcs D size battery.
LED QTY:16pcs
Standard Flash Rate:65+/- times/min
Function:Flash or Steady are available
Common color:Red/Amber



Model:WL-010

12pcs super LEDS≥6000mcd
The brightness of around reflector≥4000mcd
Averages:60±5 flashes per minute
Flash style choose:Triple or single
Photocell automatically turns light on at night
Run 250-300 hours with 2pcs D batteries



Model:WL-012

Power supply:2PCS D size battery.
LED QTY:12PCS
Standard Flash Rate:65+/- times/min
Function:Flash or Steady are available
Common color:Red/Amber



Model:WL-014

Water-proof
Battery:2PCS D Batteries
LED:16PCS Amber LEDS



Model:WL-016

Power supply:2PCS D size battery.
LED QTY:5PCS
Standard Flash Rate:65+/- times/min
Function:Flash or Steady are available
Common color:Red/Amber



Solar Warning Light



Model:SL-09
2pc ultra bright LEDS
Solar panel:high quality silicon solar cell
Power:0.4W rechargeable 2.4V AA Ni-Cd battery
7" standard Lens with advanced optics
Outside water-proof switch with photocell make the light dusk on,dawn off
Standard flash rate in65+/-10FPM
With metal handle and bracket
Lens and base color :yellow,orange,green and red



Model:SL-11
4pcs ultra bright LEDS
solar panel:high quality silicon solar cell
power:0.4w rechargeable 2.4V AA Ni-Cd battery
outside water-proof switch with photocell make the light dusk on,dawn off
standard flash rate in 65+/-10 FPM



Model:SL-13
Length:30.2cm,Dia:8.3cm
4pcs ultra bright LEDS
Solar panel:monocrystalline silicon solar cell
Power:1500mah 2.4 NI-MH 8days working without sunshine



Model:SL-16
9pcs super bright leds
The flashing frequency is 4-5 times per second.
Color available: red&blue, red, blue, amber(based on your needs)



Model:SL-10
12pc ultra bright LEDS
Solar panel:high quality silicon solar cell
Power:0.4W rechargeable 2.4V AA Ni-Cdbattery
Outside water-proof with photocell make the light dusk on,dawn off
standard flash rate in 65+/-10FPM
Single or double sides are available



Model:SL-12
LED:2pcs*Ø5mm,12000mcd/pc
Standard flash rate in 60+/-10FPM
Power:0.3W NI-MH 1800mah Battery
Visual Distance:500-600meter
Work time:5-7days working without sunshine
Size:34*18.5*9.6 cm
Lens and base colors:yellow,orange,green,and red available



Model:SL-15
Power:0.4W Solar panel
Energy:2pcs 1.2V 1500mAh NI-mh rechargeable battery
Standard flash rate in 65+/-10 times/minute
Outside water-proof switch with photocell make the dusk on,dawn off



Model:SL-17
led:2pcs f5LED /9000mcd
Power:NI-MH/1200ma/3v
standard flash rate in 65+/-10fpm
Solar panel:polycrystalline silicon
Colors:yellow,red ,orange all available



Model:SL-20
Power supply:Rechargeable NI-H batteries
Standard Flash Rate:65+/- times/min
Function:Flash or Steady are available
Common color:Red/Amber
Size:H100mm * Dia 90mm



Model:SL-50
Power supply:Rechargeable NI-H batteries
Standard Flash Rate:65+/- times/min
Function:Flash or Steady are available
Common color:Red/Amber
Size:H140mm * Dia 130mm



WL-1030R WL-1030G WL-1030Y WL-1030B

1030 SERIES
Function:Flash-Closed(Using 6pcs LED)
ProductSpecification:(H)14.5cmX(DIA)9.5cm
Battery:Two D batteries
With Strong magnet on the bottom of product
Light colour can be chosen



Product informations	
Model	WL-2001R
Light Source	High Brightness LED
Battery	3.6v 580mah lithium rechargeable battery
light color	Yellow/RED can be choose
body color	Can be customized
size	L 27.3cm W 4.5CM
Function	1. rotate 2. quad flash 3. Alternating Blinks 4. SOS rescue 5. steady on-high 6.off
Type	battery style or rechargeable style can be choose

Packing choice



WL-2001R3



WL-2001Y3



Solar Warning Light



WL-SU150A

Product Model:WL-SU150A
Function:Flashing in turn or flashing-closed
with the solar energy and light contorl
Product specification:Height:41cm
Width:8.5cm



WL-SU150B

Product Model:WL-SU150B
Function:Flashing in turn or flashing-closed
with the solar energy and light contorl
Product specification:Height:41cm
Width:8.5cm



WL-SU150C

Product Model:WL-SU150C
Function:Flashing in turn or flashing-closed
with the solar energy and light contorl
Product specification:Height:41cm
Width:8.5cm

Solar Warning Light



WL-SU250A WL-SU250B WL-SU250C WL-SU250D WL-SU250E

Solar Warning Light

Photocell auto on-at-dusk,off-at-dawn
Battery:2pcs of Ni-H 1.2V rechargeable batteries
Solar cell:64.5mmX34.5mm,60mA
Continuous working time:more than 120hours
Visual distance:more than 200m

Model	Function	Light Source	Color
WL-SU250A	Flash	LED	
WL-SU250B			
WL-SU250C			
WL-SU250D			
WL-SU250E			



WL-375 WL-390

Product Model:WL-375 WL-390
Function:Flashing in turn-Flashing in turn-closed(with light control)
Product Specification:
WL-375 Height 37.5cm Width:8.5cm
WL-390 Height 39cm Width:8.5cm
Batteries:Two D batteries



WL-A375 WL-A390

Product Model:WL-375 WL-390
Function:Flashing in turn-Flashing meanwhile-steady-closed
Product Specification:
WL-A375 Height 37.5cm Width:8cm
WL-A390 Height 39cm Width:7cm
Batteries:Three AA batteries



WL-308 WL-307

Product Model:WL-308 WL-307
Function:Flashing in turn-Flashing closed(with light control)
Product Specification:
WL-308 Height 30cm Width:8cm
WL-307 Height 30cm Width:7cm
Batteries:Two D batteries



WL-SU105A WL-SU105B WL-SU105C WL-SU105D WL-SU105E

Solar Warning Light

Photocell auto on-at-dusk,off-at-dawn
Batteries:2pcs of Ni-H 1.2V rechargeable batteries
Visual distance:more tha 200m

Model	Function	Light Source	Color
WL-SU105A	Flash	LED	
WL-SU105B			
WL-SU105C			
WL-SU105D			
WL-SU105E			



WL-258A WL-267A

Product Model:WL-258A WL-267A
Function:Flashing-closed
Product Specification:
WL-258A Height:25cm Width:8cm
WL-267A Height:26cm Width:7cm
Batteries:Two D Batteries
Light Colour can be chosen



WL-258B WL-267B

Product Model:WL-258B WL-267B
Function:Flashing-closed
Product Specification:
WL-258B Height:25cm Width:8cm
WL-267B Height:26cm Width:7cm
Batteries:Two D Batteries
Light Colour can be chosen



WL-M258 WL-M267

Product Model:WL-M258 WL-M267
Function: Flash in turn-flash-steady-closed
Product Specification:
WL-258B Height:25cm Width:8cm
WL-267B Height:26cm Width:7cm
Batteries:Three AA Batteries
Light Colour can be chosen



WL-220B WL-220C WL-220A WL-220D WL-220E

Traffic Barricade Warning Light

Battery:2pcs D Batteries
Continuous working time:more than 200hours
Visual distance:more than 200m
Photocell auto on-at-dusk,off-at-dawn

Model	Function	Light Source	Color
WL-220A	Flash	LED	
WL-220B			
WL-220C			
WL-220D			
WL-220E			



LED Road Flare With Torch



WL-2002




WL-2002-1

Model No	WL-2002 & WL-2002-1
Product size	10.5*3.5cm
Material	PC+TPE
LED quantity	12pcs led+3pcs white led
LED color	Red,green,blue,white,yellow,orange
Body color	Red,green,blue,white,yellow,orange,gray
Function	1. Rotate 2. Quad-flash 3. Single-blink 4. Alternate 5. SOS(MORSE CODE) 6. Solid-on high 7. Solid-on low 8. Two LEDS Flashlight Torch light(3pcs white LEDS)
Feature	With the magnet on the middle of back
package	White box/3pcs one bag/4pcs one bag



Three products in one nylon bag



Warning Light



WL-2000R



WL-2000B



WL-2000G



WL-2000W



WL-2000H



WL-2000Y

Specification:

Rechargeable Sets --charger one by one!

The shape and the flash patterns are same as non recharge unit, difference as follow:

Running time is less than non recharge unit:

Flash patterns and running time:



WL-2000R1


PATTERN	RUN TIME
ROTATE	9 HOURS
QUAD-FLASH	9 HOURS
SINGLE-BLINK	60 HOURS
ALTERNATE	9 HOURS
SOS(MORSE CODE) RESCUE(SOS)	14 HOURS
SOLID-ON HIGH	5 HOURS
SOLID ON LOW	35 HOURS
2 LED FLASHLIGHT	9 HOURS
4 LED ILLUMINATE	6 HOURS

Packing choice:

- 1.Box -----for one set
- 2.Blister Card-----for one set
- 3.Suitcase-----for 6 pcs lights and one set charger (car and AC)
- 4.Nylon bag-----for 10pcs lights and one set charger(car and AC)



WL-2000R6



Traffic Direction Sign

Bright LED lighting with high reflective sheet
Visual distance: more than 200m
Battery: 3 pcs AA batteries
Functions: Flash in turn-Closed
With the magnet on the back of product

Model	Product specification	Light Source	Color
DS-2648	L 48cm*W 26cm	LED	
DS-4685	L85cm*W46cm		

Traffic Direction Sign

Bright LED lighting with high reflective sheet
Visual distance: more than 200m
Battery: 3 pcs AA batteries
Functions: Flash in turn-Closed
With the magnet on the back of product

Model	Product specification	Light Source	Color
DS-A4685	L85cm*W46cm	LED	



DS-A4685

Stop Plate



WS-1841

Warning sign

Length: 41cm
Diameter: 18cm
LED qty: 12pcs
Power supply: 3pcs C batteries
Logo can be chosen



WS-20

Warning Sign

Length: 43.5cm
Width: 30cm
Power supply: rechargeable batteries
Logo can be chosen
Functions: Flash-Steady-Closed



DS-4545

DS-5252

DS-5050

DS-3636

Traffic Warning Sign

Bright LED lighting with high reflective sheet
Visual distance: more than 200m
Battery: 2 pcs AA batteries
With the magnet on the back of product

Model	Product specification	Light Source	Color
DS-4545	L45cm*W45cm	LED	
DS-5252	L52cm*W52cm		
DS-5050	L50cm*W50cm		
DS-3636	L36cm*W36cm		



DS-5942

Retractable warning sign

Bright LED lighting with high reflective sheet
Visual distance: more than 200m
Battery: 2pcs AA batteries
With the magnet on the back of product

LED Cone Sleeve



Model: DS-10

LED QTY: 14pcs
Flash-Steady-Closed
Top width 165mm
Bottom Width 310mm
Height 290mm
3pcs AA Batteries



Model: DS-20

LED QTY: 24pcs
Flash-Steady-Closed
Top width 165mm
Bottom Width 310mm
Height 290mm
3pcs AA Batteries



Model: DS-30

LED QTY: 18pcs
Flash-Steady-Closed
Top width 165mm
Bottom Width 310mm
Height 290mm
3pcs AA Batteries



WS-3021E



WS-3021F



WS-3321G



WS-3321H



Rubber Wheel Stopper



Model:DWQ-001

Material:Rubber
Size:L500*W150*H100mm
Weight:3.5kgs



Model:DWQ-002

Material:Rubber
Size:L500*W150*H100mm
Weight:4.5kgs



Model:DWQ-003

Material:Plastic
Size:L500*W160*H100mm
Weight:1.6kgs



Model:DWQ-004

Material:Rubber
Size:L600*W160*H100mm
Weight:3.5kgs



Model:DWQ-005

Material:Rubber Plastic
Size:L500*W120*H100mm
Weight:2.4kgs



Model:DWQ-006

Material:Rubber Plastic
Size:L580*W120*H80mm
Weight:2.4kgs



Model:DWQ-007

Material:Rubber Plastic
Size:L570*W160*H100mm
Weight:5.9kgs



Model:DWQ-008

Material:Rubber Plastic
Size:L550*W150*H90mm
Weight:2.8kgs



Model:DWQ-163

Material:Rubber
Size::L1650*W140*H100mm
Weight:14kgs



Model:DWQ-183

Material:Rubber
Size:L1830*W150*H100mm
Weight:15kgs



Model:DWQ-C01

Material:Rubber
Size:L200*W100*H150mm
Weight:1.9kgs



Model:DWQ-C02

Material:Rubber
Size:L240*W165*H195mm
Weight:5kgs

Corner Guard



Model:RP-01

Height:600mm
Ply:8/10/12/14/16mm



Model:RP-03

Height:800mm
Ply:8/10/12/14/16mm



Model:RP-06

Height:1000mm
Ply:8/10/12/14/16mm



Model:RP-05

Height:1000mm
Ply:8/10/12/14/16mm



Model:RP-02

Height:560mm
Ply: 8/10mm



Model:RP-04

Height:800mm
Ply: 8/10mm



Model:RP-08

Height:1000mm
Ply: 8/10mm



Model:RP-09

Height:1200mm
Ply: 8/10mm



Model:EP-01

Height:800mm
Ply: 10mm



Model:EP-02

Height:800mm
Ply: 10mm






Rubber Cable Protector



Small-One Channel
Model:CP-01S
Size:1000X220X32mm
Channel Size:20X70mm
Weight:4.5KG



Mid-One Channel
Model:CP-01M
Size:1000X263X65mm
Channel Size:50X70mm
Weight:8.5KG




Large-One Channel
Model:CP-01L
Size:1000X580X125mm
Channel Size:110X125mm
Weight:22KG




Small-Two Channel
Model:CP-02S
Size:1000X250X45mm
Channel Size:30X32mm
Weight:6.5KG




Mid-Two Channel
Model:CP-02M
Size:1000X450X70mm
Channel size:50X55mm
Weight:13KG




Large-Two Channel
Model:CP-02L
Size:900X580X90mm
Channel Size:70X95mm
Weight:20KG



Three Channel
Model:CP-03
Size:900X500X70mm
Channel Size:55X65mm
Weight:14.5KG



Four Channel
Model:CP-04
Size:900X500X60mm
Channel Size:40X45mm
Weight:14KG



Five Channel
Model:CP-05
Size:900X500X50mm
Channel Size:30X40mm
Weight:13KG

Plastic Cable Protector



Model:CP-10
Size:1000X130X20mm
Channel Size:15X40mm
Weight:0.9KG



Model:CP-11
Size:1000X140X20mm
Channel Size:15X35mm
Weight:1.5KG



Model:CP-12
Size:1000X275X40mm
Channel Size:30X100mm
Weight:2.4KG



Model:CP-13
Size:1000X220X35mm
Channel Size:25X85mm
Weight:3.5KG



One Channel
Model:CP-100A
Size:1000X300X50mm
Channel Size:30X35mm
Weight:11KG



Two Channel
Model:CP-100B
Size:1000X300X60mm
Channel Size:30X35mm
Weight:14KG



Two Channel
Model:CP-183
Size:1830X300X50mm
Channel Size:30X35mm
Weight:23KG

Docking Bumper



Model:DB-01
Size:1000X160X50mm
Weight:4.5KG



Model:DB-02
Size:1000X190X90mm
Weight:16KG



Model:DB-03
Size:1000x200x25mm
Weight:4KG



Model:DB-04
Size:1000X250X40mm
Weight:9.5KG



Model:DB-05
Size:1000X130X60mm
Weight:9.5KG



Model:DB-06
Size:1000X190X80mm
Weight:13KG



Rubber Speed Humps



Model: RSH-01

Size: 1000x350x50mm
250x350x50mm
End: 175x350x50mm
Weight: 14kg/meter



Model: RSH-02

Size: 500x350x50mm
End: 175x350x50mm
Weight: 14kg/meter



Model: RSH-03

Size: 1000x380x50mm
End: 190x380x50mm
Weight: 16kg/meter



Model: RSH-04

Size: 500x 400x50mm
Weight: 9.5kg/pc
End: 170x400x50mm
Weight: 2.8kg/pc




Model: RSH-09

Size: 500x500x25mm
500x500x35mm
500x500x50mm
End: 500x250x25mm
500x250x35mm
500x250x50mm



Model: RSH-12

Size: 500x425x70mm
Weight: 13.5kg/pc




Model: RSH-07

Size: 600x 500x30mm
Weight: 9kg/pc
End: 600x225x30mm
Weight: 3kg/pc
Reflective tape: 120x120mm




Model: RSH-08

Size: 900x 500x50mm
Weight: 19kg/pc
End: 900x250x50mm
Weight: 7.5kg/pc
Reflective tape: 110x250mm




Model: RSH-13

Size: L500*W500*H50mm
Reflective tape: 150*110mm



Model: RSH-14

Size: L600*W500*H50mm
Reflective tape: 250*110mm



Model: RSH-15

Size: L600*W500*H50mm

Warning Post



Model: WP-450PE

Material: PE
Height: 450mm
TOP DIA: 8cm



Model: WP-750PE

Material: PE
Height: 750mm
TOP DIA: 8cm



Model: WP-750PU

Material: PU
Height: 750mm
TOP DIA: 8cm



Model: WP-800EVA

Material: EVA
Height: 800mm
TOP DIA: 8cm

Material: PE/EVA/PVC/PU/TPU Available



Model: GC-800

Material: PE+Rubber
Height: 800mm
Weight: 2.50kg



Model: GC-1200

Material: PE+Rubber
Height: 1200mm
Weight: 2.87kg



Model: GC-1100

Material: PE+Rubber
Height: 1100mm
Base Width: 420cm
Weight: Base 5.5kg+Post 0.7kg



Model: GC-1130

Material: PE+Rubber
Height: 1130mm
Base Width: 380cm
Weight: Base 6kg+Post 0.8kg



Model: WP-800A

Material: PE
Height: 800mm



Model: WP-800B

Material: PE
Height: 800mm



Model: GC-1300

Material: PE+Rubber
Height: 1100mm
Base Width: 500mm x 500mm
Weight: Base 10kg+Post 2kg



PE Traffic Cone



Model:PE-500
Height:500mm
Weight:1.5kg
Base size:280*280mm
Reflective tape size:110mm



Model:PE-750A
Height:750mm
Weight:2.5kg
Base size:380*380mm
Reflective tape size:220mm



Model:PE-750B
Height:750mm
Weight:2.5kg
Base size:380*380mm
Reflective tape size:170+100mm



Model:PE-1000
Height:1000mm
Weight:5kg
Base size:490*490mm
Reflective tape size:320mm



Model:PE-500E
Height:510mm
Weight:3.5kg
Base size:320*320mm
Reflective tape size:85+85mm



Model:PE-750E
Height:750mm
Weight:7.3kg
Base size:440*440mm
Reflective tape size:220mm



Model:PE-750R
Height:750mm
Weight:2.5kg
Base size:380*380mm
Reflective tape size:220mm



Model:PE-750C
Height:750mm
Weight:4.5kg
Base size:440*440mm
Reflective tape size:220mm



Model:PS-500
Height:500mm
Weight:0.6kg
Base size:260*260mm
Reflective size:110mm



Model:PS-750A
Height:750mm
Weight:2.5kg
Base size:380*380mm
Reflective size:140mm



Model:PS-750B
Height:750mm
Weight:2.5kg
Base size:350*350mm
Reflective size:140mm



Model:PS-750C
Height:750mm
Weight:3kg
Base size:400*400mm
Reflective size:430mm



Model:RB-500A
Height:500mm
Weight:1.5kg
Base Size:350X350mm
Reflective band size:140mm



Model:RB-700A
Height:700mm
Weight:2.7kg
Base Size:390X390mm
Reflective band size:140+50mm



Model:RB-500B
Height:500mm
Weight:1.6kg
Base Size:350X350mm
Reflective band size:430mm



Model:RB-700B
Height:700mm
Weight:2.8kg
Base Size:390X390mm
Reflective band size:630mm

PVC Traffic Cone



Model:PVC-300
Height:300mm
Weight:0.6kg
Base size:220*220mm



Model:PVC-450
Height:450mm
Weight:0.9kg
Base size:270*270mm



Model:PVC-700
Height:700mm
Weight:1.8kg
Base size:360*360mm



Model:PVC-900
Height:900mm
Weight:4.1kg
Base size:360*360mm



Model:PVC-470
Height:470mm
Weight:0.9kg
Base size:300*300mm



Model:PVC-700B
Height:700mm
Weight:2.0kg
Base size:360*360mm



Model:PVC-720
Height:720mm
Weight:3.3kg
Base size:380*380mm



Model:PVC-700R
Height:700mm
Weight:1.7kg
Base size:340*340mm



Model:PVC-300D
Height:300mm
Weight:1.2kg
Base size:220*220mm



Model:PVC-450D
Height:450mm
Weight:1.5kg
Base size:270*270mm



Model:PVC-700D
Height:700mm
Weight:3.1kg
Base size:360*360mm



Model:PVC-900D
Height:900mm
Weight:4.5kg
Base size:360*360mm

Rubber Traffic cone



Model:RB-750A
Height:750mm
Weight:4.5kg
Base Size:380X380mm



Model:RB-750B
Height:750mm
Weight:4.5kg
Base Size:380X380mm



Model:RB-750C
Height:750mm
Weight:4.5kg
Base Size:380X380mm
Reflective band size:320mm



Model:RB-750D
Height:750mm
Weight:4.5kg
Base Size:380X380mm
Reflective band size:320mm

Retractable Traffic Cone With Rubber Bottom




Model:RTC-500RB
Height:500mm(20")
Weight:2KG
Base Size:280*280mm



Model:RTC-700RB
Height:700mm(28")
Weight:5KG
Base Size:400*400mm



Package



Bottom Light

Retractable Traffic Cone



Model:RTC-700
Height:700mm(28")
Base Size:330*330mm



Model:RTC-550
Height:550mm(22")
Base Size:270*270mm



Model:RTC-700SU
Height:700mm(28")
Base Size:330*330mm



Model:RTC-550SU
Height:550mm(22")
Base Size:270*270mm

Retractable Traffic Cone



Model	Height(cm)	Base Size(cm)
RTC-A40	40	24.4x24.4x3.75
RTC-A45	45	24.4x24.4x3.75
RTC-A50	50	24.4x24.4x3.75
RTC-A55	55	30.5x30.5x5
RTC-A60	60	30.5x30.5x5
RTC-A65	65	30.5x30.5x5
RTC-A70	70	30.5x30.5x5



White Box Packing



Color Box Packing



Plastic Bag Packing

Model	Height(cm)	Base Size(cm)
RTC-P30	30	19x19x4.5
RTC-P35	35	19x19x4.5
RTC-P40	40	24.5x24.5x3.6
RTC-P45	45	24.5x24.5x3.6
RTC-P50	50	24.5x24.5x3.6
RTC-P55	55	30.6x30.6x3.8
RTC-P60	60	30.6x30.6x3.8
RTC-P65	65	30.6x30.6x3.8
RTC-P70	70	30.6x30.6x3.8

Plastic Wet Floor



Model:WB-600A
Height:600mm
Weight:600g
Logo can be choose



Model:WB-600B
Height:600mm
Weight:680g
Logo can be choose



Model:ABS-500
Height:500mm(20")
Base Size:300x300mm
Weight:0.7KG

Model:SC-520
Height:520mm
Base size:310mm
Weight: 1.2KG

Model:SC-500
Height:500mm
Base size:420mm
Weight:3.0KG

Model:ABS-660A
Height:660mm(26")
Base size:280x280mm
Weight:1.1KG

Model:ABS-660C
Height:660mm(26")
Base size:280x280mm
Weight:1.1KG

Model:ABS-900
Height:900mm (36")
Base size:300x300mm
Weight:3.45KG

Accessories for cones



Plastic Cone Bar
 Model:CB-01
 Material:PVC
 Length:2M/3M



Plastic Cone Topper
 Model:GLD-001
 Color:Yellow
 Material:PE
 Belt length:2/3/5meters available
 Model:GLD-002
 Color:Red
 Material:PE
 Belt length:2/3/5meters available



Plastic chain
 Model:CB-20
 Material:PE
 length:200cm
 Color:Red&White



Plastic Board
 Model:CT-10
 Material:PE
 Size:L40*W28cm



Plastic Chain Ring
 Model:RC-L001
 Material:PE
 Dia:Φ85mm



Plastic Chain



型号 Model	直径 Diameter(mm)	内长 IN-length(mm)	外宽 OUT-width(mm)	重量/米 Weight(g/m)	截面 Section	拉力 Tension(Kg)
PC-02	2	10	7	10	Round	8
PC-03	3	13	11	17	Round	18
PC-04	4	27	16	30	Round	22
PC-06-1	6	27	20	55	flat	57
PC-06-2	6	25	22	71	Round	67.5
PC-06-3	6	41	21	50	Flat	45
PC-08-1	8	38	27	110	flat	89
PC-08-2	8	54	27	106	flat	89
PC-10	10	55	38	185	Round	120
PC-12	12	62	42	150	Round	150
PC-14	14	70	50	460	Round	180



Warning Tape



Model:PET-001

Width:50mm 70mm 75mm available
Length:100m 200m 300m 500m available

Q-Manger



Model:BP-01

Height:930mm
Material:Metal
Base diameter:300mm



Model:BP-02

Height:930mm
Material:Metal
Base diameter:300mm



Model:BP-03

Height:930mm
Material:Metal
Base diameter:300mm

Warning Triangle



Model:WTB-001

Material:GPPS+IRON
Size:42x42x42cm



Model:WTB-002

Material:PMMA+ABS
Size:43x43x43cm



Model:WTB-003-1

Material:PMMA+ABS+PVC
Size:43x43x43cm



Model:WTB-003-2

Material:PMMA+ABS+PVC
Size:43x43x43cm



Model:WTB-004

Material:PMMA+ABS+PVC
Size:43x43x43cm



Model:WTB-005

Material:GPPS+IRON
Size:30x30x30cm



Model:WTB-009

Material:PMMA+ABS
Size:43x43x43cm



Model:WTB-010

Material:PMMA+ABS
Size:43x43x43cm



Model:WTB-011

Material:Plastic
Size:20x20x20cm

Wheel Lock



Model:WLK-001

Weight:2.5kg



Model:WLK-002

Weight: 3KG



Reflective Vest



Item no:SV-01
Size: 71.5x64CM
MEAS:42X26X27CM
QTY:50PCS/CTN
Weight:8KG



Item no:SV-02
Size: 66.5x59CM
MEAS:42X26X27CM
QTY:50PCS/CTN
Weight:8KG



Item no:SV-03
Size: 74.5x62.5CM
MEAS:42X26X27CM
QTY:50PCS/CTN
Weight:8.5KG



Item no:SV-04
Size: 73.5x69CM
MEAS:42X26X27CM
QTY:50PCS/CTN
Weight:8.5KG



Item no:SV-05
Size: 51.5x55.5CM
MEAS:60X30X45CM
QTY:100PCS/CTN
Weight:15KG



Item no:SV-06
Size: 54x50CM
MEAS:49X36X38CM
QTY:100PCS/CTN
Weight:11KG



Item no:SV-07
Size: 56.5x64CM
MEAS:45X44X33CM
QTY:50PCS/CTN
Weight:12KG



Item no:SV-08
Size: 49x58CM
MEAS:55X35X35CM
QTY:50PCS/CTN
Weight:19KG



Item no:SV-09
Size: 57.5x48.5CM
MEAS:60X30X45CM
QTY:100PCS/CTN
Weight:14KG



Item no:SV-10
Size: 52x48CM
MEAS:48X32X31CM
QTY:50PCS/CTN
Weight:8KG



Item no:SV-11
Size: 58x48CM
MEAS:48X32X45CM
QTY:50PCS/CTN
Weight:12KG



Item no:SV-12
Size: 66x55CM
MEAS:42X26X27CM
QTY:50PCS/CTN
Weight:8KG



Item no:SV-13
Size: 66x55CM
MEAS:42X26X27CM
QTY:50PCS/CTN
Weight:8KG



Item no:SV-14
Size: 66x52CM
MEAS:43X30X29CM
QTY:50PCS/CTN
Weight:10KG



Item no:SV-15
Size: 67x62CM
MEAS:50X40X23CM
QTY:50PCS/CTN
Weight:13KG



Item No:SV-21
Size:58X68CM



Item No:SV-34
Size:58X68CM



Item No:SV-28
Size:58X68CM



Item No:SV-22
Size:58X68CM



Item No:SV-32
Size:58X68CM



Reflective Vest



Item No:SV-25
Size:58X68CM



Item No:SV-41
Size:58X68CM



Item No:SV-37
Size:58X68CM



Item No:SV-30
Size:58X68CM



Item No:SV-33
Size:58X68CM



Item No:SV-46
Size:58X68CM
Mesh fabric



Item No:SV-79
Size:58X68CM
Mesh fabric



Item No:SV-40
Size:58X68CM
Mesh fabric



Item No:SV-78
Size:58X68CM
Mesh fabric



Item No:SV-77
Size:58X68CM
Mesh fabric



Item No:SV-26
Size:58X68CM



Item No:SV-36
Size:58X68CM



Item No:SV-31
Size:58X68CM



Item No:SV-45
Size:58X68CM



Item No:SV-72
Size:58X68CM

LED Safety Vest



Item no:SV-16
LED:16PCS
Size: 56x64CM
MEAS:52X28X34CM
QTY:20PCS/CTN
Weight:8KG



Item no:SV-17
LED:14PCS
Size: 60x66.5CM
MEAS:53X35X45CM
QTY:20PCS/CTN
Weight:10KG



Item no:SV-18
LED:16PCS
Size: 55x59CM
MEAS:64X30X24CM
QTY:20PCS/CTN
Weight:8.5KG



Item no:SV-19
LED:16PCS
Size: 81x60.5CM
MEAS:43X49X44CM
QTY:20PCS/CTN
Weight:9KG



Item no:SV-20
LED:16PCS
Size: 65x63CM
MEAS:52X28X34CM
QTY:20PCS/CTN
Weight:9.5KG



Plastic Road Stud



RS-01



RS-02



RS-03



RS-04



RS-05



RS-20



RS-21



RS-22



RS-23



RS-24

Aluminum Road Stud



RS-08



RS-09



RS-26



RS-25



RS-27

Solar Road Stud



RS-10



RS-11



RS-12



RS-13



RS-14




RS-15



RS-16



RS-17



RS-18



RS-19



Delineator

Using optical equipment produced by Japan, reflective lenses using PMMA imported from Japan. Using Heating galvanized frame, long life and never rust. Widely used in the roadside signs of highways, tunnels and bridges.



Model:DS-01
Single Reflector Single support
Size:120x50x70mm



Model:DS-02
Single Reflector Two Supports
Size:120x50x70mm



Model:DS-03
Double Reflector Two Supports
Size:120x50x70mm




Model:DS-04
Single Reflector (iron lining)
Size:40x180mm




Model:DS-05
Double Reflector
Size:40x180mm



Model:DS-06
Single Reflector
Size:40x180mm



Model:DS-07
Reflective lens



Model:DS-08
Size:Φ85mm



Model:RS-06
Glass Bead Road Stud

Ceramic Road Stud



Model:CY-01
Color:Yellow
Diameter:10cm
Height:3cm
Weight:250g



Model:CW-01
Color:White
Diameter:10cm
Height:3cm
Weight:270g



Model:CY-01G
Color:Yellow
Diameter:10cm
Height:3cm
Weight:270g



Model:CY-02
Color:Yellow
Diameter:15cm
Height:6cm
Weight:1400g



Model:CY-03
Color:Yellow
Diameter:20cm
Height:6.5cm
Weight:3000g
Double sides reflective lens

Outdoor Convex Mirror



Model	Size	Material
CM-300 OUT	300MM	PC+PE
CM-450 OUT	450MM	PC+PE
CM-600 OUT	600MM	PC+PE
CM-800 OUT	800MM	PC+PE
CM-1000 OUT	1000MM	PC+PE
CM-1200 OUT	1200MM	PC+PE

Indoor Convex Mirror



Model	Size	Material
CM-300 IN	300MM	PC+PE
CM-450 IN	450MM	PC+PE
CM-600 IN	600MM	PC+PE
CM-800 IN	800MM	PC+PE

Full dome 360°



Model	Size	Material
CM-FD01	310*460MM	PC+PE
CM-FD02	410*610MM	PC+PE
CM-FD03	460*690MM	PC+PE
CM-FD04	360*540MM	PC+PE

Quarter dome 90°



Model	Size	Material
CM-300 Quarter	300MM	PMMA+Rubber
CM-400 Quarter	400MM	PMMA+Rubber
CM-600 Quarter	600MM	PMMA+Rubber
CM-800 Quarter	800MM	PMMA+Rubber
CM-1000 Quarter	1000MM	PMMA+Rubber
CM-1200 Quarter	1200MM	PMMA+Rubber

Half dome 180°



Model	Size	Material
CM-300 Half	300MM	PMMA+Rubber
CM-400 Half	400MM	PMMA+Rubber
CM-600 Half	600MM	PMMA+Rubber
CM-800 Half	800MM	PMMA+Rubber
CM-1000 Half	1000MM	PMMA+Rubber
CM-1200 Half	1200MM	PMMA+Rubber

Full dome 360°



Model	Size	Material
CM-300 Full	300MM	PMMA+Rubber
CM-400 Full	400MM	PMMA+Rubber
CM-600 Full	600MM	PMMA+Rubber
CM-800 Full	800MM	PMMA+Rubber
CM-1000Full	1000MM	PMMA+Rubber
CM-1200Full	1200MM	PMMA+Rubber

Traffic Drum



Plastic Channelizer Drums

The barrels come complete with molded grab handles, and high-intensity reflective striping. This ensures that your crews can transport and store your traffic channelizer drums with ease.

Model	SM-008
Material	PE
Height	1000mm
Weight	3.5kgs



Model	SM-009
Material	PE
Height	1000mm
Weight	4.4kgs



Model	SM-010
Material	PE+Rubber
Height	1100mm
Weight	Body 10.5kg Base 4.5kg



滚塑防撞桶 Rotational Safety Crash Bucket

Model	FZT-001
Height	920mm
Diameter	900mm
Net Weight	12.5kg
Water Capacity	400kg



吹塑防撞桶 Blowing Plastic Safety Crash Bucket

Model	FZT-002
Height	800mm
Diameter	580mm
Net Weight	5kg
Water Capacity	250kg




滚塑小防撞桶 Rotational Safety crash Bucket

Model	FZT-003
Height	820mm
Diameter	580mm
Net Weight	5kg
Water Capacity	200kg



三联组防撞桶 Three Pieces Safety Crash Bucket

Model	FZT-004
Height	900mm
Vessel Head	900x900x900mm
Vessel Tail	450x900x900mm
Water Capacity	600kg
Net Weight	38kg



plastic industrial construction safety fence

Model	SN-001
RAW MATERIAL	HDPE
WEIGHT	80/100/120/160GSM
MESH SIZE	65X35MM/100X40MM
LENGTH	Customized
WIDTH	1/1.22/1.5/1.8M
COLOR	ORANGE BLUE RED are AVAILABLE
APPLICATION	Highway/Pool/Playground
PACKING	Usually packed in transparent bag



吹塑单孔水马
Blowing Plastic Barrier

Model	SM-001
Length	1300mm
Top Width	180mm
Bottom Width	370mm
Height	650mm
Net Weight	8.5kg
Water Capacity	200kg



吹塑双孔水马
Blowing Plastic Barrier

Model	SM-002
Length	1650mm
Top Width	150mm
Bottom Width	410mm
Height	650mm
Net Weight	9kg
Water Capacity	300kg



吹塑三孔水马
Blowing Plastic Barrier

Model	SM-003
Length	1500mm
Top Width	180mm
Bottom Width	370mm
Height	800mm
Net Weight	9.5kg
Water Capacity	250kg



吹塑小围栏
Blowing Plastic Barrier

Model	SM-004
Length	1200mm
Top Width	80mm
Bottom Width	260mm
Height	600mm
Net Weight	6kg
Water Capacity	60kg

滚塑大围栏
Rotational Plastic Barrier

Model	SM-005
Length	1500mm
Top Width	150mm
Bottom Width	430mm
Height	1200mm
Net Weight	14kg
Water Capacity	200kg



滚塑大围栏
Rotational Plastic Barrier


Model	SM-006
Length	2000mm
Top Width	145mm
Bottom Width	400mm
Height	800mm
Net Weight	17kg
Water Capacity	400kg

Characteristics

1. One time forming, cold resistant, hot resistant, anti-impact, not easy to be old.
2. The color of bucket is bright orange and it is attractive in the night with reflection film.
3. With the water in it, the buffer elasticity will be better, without the water, it can be moved easily.

Usage

Mainly used in the entrance of the highway, the crossing of the roads and toll station to warn drives, and reduce the accidents.




Model	PB-001
Length	2280mm
Height	1200mm
Width	65mm
Total Weight	15kg
Board Weight	11kg

底座可360°旋转
The feet can be adjustable in 360°



Model	PB-002
Length	1950mm
Height	1000mm
Width	55mm
Total Weight	11.5kg
Board Weight	6.5kg

底座可360°旋转
The feet can be adjustable in 360°



Model	PB-003
Length	2200mm
Height	1060mm
Width	45mm
Total Weight	22.5kg
Board Weight	9.5kg



Model	PB-004
Length	1950mm
Height	1000mm
Width	55mm
Total Weight	11.5kg
Board Weight	6.5kg

Expandable Safety Barrier



Model	TPB-01
Material	PE
Height	101cm
Width	160cm



Model	TPB-02
Material	PE
Height	96cm
Expandable Length	250cm



Model	TPB-03
Material	PE
Height	106cm
Expandable Length	216cm



Model	TPB-04
Material	Metal
Height	115cm
Expandable Length	130cm



Model	TPB-05
Material	PE
Height	110cm
Width	60cm



Model	TPB-06
Material	PE
Height	81cm
Width	114cm